

Hello!

Welcome to Meridian Homes.

Our classic inclusions have been designed with family in mind. Feel comfortable knowing that everything in this guide will feature in your new home. Just like you, we're all about family; in fact our business is a family run business and every customer we deal with isn't just a number in the system.

Enjoy this guide to features in your new home and to discuss anything with our dedicated sales team, please contact us on 1300 155 138 or visit our website meridianhomes.com.au



Kitchen







- Westinghouse 600mm Gas Cook-top
- Westinghouse Oven 600mm with Shut Off Switch
- Westinghouse 600mm Slide Out Range Hood

Benchtop

• 32mm Laminate Tight Edge Benchtop - Meridian 'classic' range

Cabinetry

- Laminated finish Meridian 'classic' range
- 2150mm High Cabinets with Painted Bulkhead to Ceiling Height
- Kickboards matching cupboards colours and finish
- 128mm D-Bar Handles to Lower Cabinets and Finger Pull to Overhead Cabinets

Pantry

- Timber hinge or Laminated Door as shown on plans
- 3 Rows of Solid Melamine Shelving for Walk in Pantry (*when shown on plans*) or 5 Rows Melamine Shelving when Built into Kitchen Joinery

Sink & Tapware

- Drop-In Double Bowl Stainless Steel Meridian 'classic' range
- Chrome, Gooseneck Flick Mixer Meridian 'classic' range

Splashback

• 300 x 600mm Polished Porcelain Tile - Meridian 'classic' range

General

- Dishwasher Provision Only with Plumbing and Electrical Points
- Fridge Provision with Water, Space and Electrical Point and Storage Overhead
- Microwave Provision Only with Electrical Point

Bathroom, Ensuite & Powder Room Vanity

- White Polyurethane Gloss Vanity up to 900mm wide as per plan
- White Ceramic Basin Meridian 'classic' range
- Chrome Modern Round Pin Mixer

Wall Tiling

• Porcelain 300x600mm 2.0m High in Shower, 600mm High Around Bath and 100mm Skirting - *Meridian 'classic' range*

Floor Tile

• Porcelain 300x300mm Floor (non slip) Tiles - Meridian 'classic' range

Shower & Bath

- Shower Screen Fully Framed Polished Aluminium with Toughened Glass
- Up to 1650mm Drop in Acrylic White Bath Set in Tiled Hob as per plan

Mirror

• 6mm Polished Edge Mirror to Match Vanity Size

Toilet

• Full Porcelain Close Coupled Suite with Soft Close Seat

Tapware

- Chrome Modern Round Pin Wall Mixer to Shower and Bath
- Chrome Round Bath Spout
- Hi Rise Multifunctional Shower Head Meridian 'classic' range

Exhaust Fan

• 3 in 1 (fan, heat lamp, light) Ducted Externally

Waterproofing

• High Quality Installed as per Australian standards

Accessories

- Chrome Plated Push Plugs to Basins
- Chrome Plated Double Towel Rails in Bathroom and Ensuite
- Chrome Plated Hand Towel Holder in Powder Room
- Toilet Roll Holder in Chrome Finish
- Stainless Steel Finish Floor Waste
- Privacy Lock to Door
- Double Power Point
- Chrome Plug and Waste to Bath



Bathrooms & Ensuite



Internal Features



Walls

- 10mm Plasterboard to Internal Walls
- 6mm Water Resistant to Wet Areas
- 90mm Cove Cornices Throughout
- Premium Quality Paint to Ceiling, Walls, All External Painted Areas and Doors Meridian 'classic' range

Skirting & Architraves

• 66mm x 18mm Half Splay with Paint Finish - Meridian 'classic' range

Ceiling Heights

• 2435mm Structural Ceiling Height to Ground and First Floor

Wardrobes

- Mirrored Sliding Doors with Polished Aluminium Edge
- Melamine Top Shelving with Hanging Rail

Staircase (Where applicable)

- MDF Stairs with Carpet Meridian 'classic' range
- Pine Handrail with Paint Finish, Black square Metal Inserts

Doors

- Hume Hollow Core Doors with Semi Gloss Paint Finish
- Round Level Door Handles in Satin Chrome Meridian 'classic' range

Ground Floor - Common Area Flooring

• Carpet to Dining, Living and Hallway - Meridian 'classic' range

First Floor - Common Area Flooring

• Carpet to Bedroom, Rumpus, Study and Hallway - Meridian 'classic' range

Bedroom Flooring

• Carpet to Bedroom, Guest Rooms and Study - Meridian 'classic' range

Kitchen Flooring

• 600x600mm Polished Porcelain Tile as per plan - Meridian 'classic' range

Tub

• 45L Freestanding Tub and Cabinet

Tapware

• Standard Chrome Sink Mixer

Floor Tile

- Porcelain 300x300mm Floor (non slip) Tiles Meridian 'classic' range
- 100mm Skirting Tile to Perimeter

Washing Machine Provision

• Hot and Cold Washing Machine Connection and Power Point

Splashback

• 300 x 600mm Polished Porcelain Tiles Behind Tub - Meridian 'classic' range

Accessories

• Stainless Steel Finish Floor Waste

Waterproofing

• High Quality Installed as per Australian standards

Laundry

Main External Material

• Face Brick - Meridian 'classic' range

External Cladding

• Lightweight Cladding with Painted Finish as per concept plan where applicable

Roof

- Concrete Roof Tiles Meridian 'classic' range
- Sarking Under Tiles

Windows

- Key Lockable, Single Glaze Aluminium Windows Meridian 'classic' range
- Wet Areas and Stairwell in Obscure Glazing
- Key Lockable Sliding Doors with Deadlock and Toughened Glass

Flyscreens

• Flyscreens and Flydoors with Aluminium Powder Coated Frame and Fibreglass Mesh

Garage Door

- Metal Sectional Panel lift Door Meridian 'classic' range
- Automatic garage door opener with 2 x Remote Controls

Entry Door

- 820 mm Entrance Door with Featured Frosted Glass Panels in Full Gloss Paint Finish
- Security Lever and Deadlock in Satin Chrome

Front Porch

• External Non Slip Tiles 300mm x 600mm - Meridian 'classic' range

Front Facade

• Face brick from Selected Range or Textured & Paint Finish as shown on plans

Fascia and Gutter

• Metal Fascia and Quad Gutter - Meridian 'classic' range

External Features



External Features

1



Driveway & Front Pathway

• Coloured Concrete Driveway up to 35m2 (single garage) or 50m2 (double garage)

Termite Control

• Termite Protection System as per Australian Standards

Downpipes

• Painted to suit Gutter, 90mm Round PVC Downpipes

Garden Taps

- Fresh Water Tap
- Rain Water (or Recycled Water) Tap

Hot Water Unit

• 20L Instant Gas Hot Water System

Alfresco (if shown on plans)

- Concrete Substrate Floor with Broom Finish
- Roof Over with Plasterboard Lined Ceiling and Brick Columns as per plan

Balcony (if shown on plans)

- External (non-slip) Tiles 300 x 600mm Meridian 'classic' range
- Balustrade Aluminium Frame in Powder Coat Finish as per plan
- Waterproofing, installed as per Australian standards
- Roof Over with Brick Columns as per plan

General Site Works


- Council Bonds
- Home Owners Warranty Insurance
- Complying Development Approval Costs
- Contour Survey and Slab Pegout
- Sediment Control Barrier Installed to Site
- Trade Waste Removal and Disposal as required by council
- Temporary Fence, Supplied and Installed to Perimeter of Site as necessary
- Temporary Site Toilet, Supplied to Site for Period of Construction
- Earthworks, Cut and Fill Site to Bench Slab up to 500mm
- Telstra Communications Mains Connection to House up to 12Lm where applicable
- Sewer Mains Connection to House up to 10Lm
- Stormwater Mains Connection to House up to 10Lm
- Water Mains Connection to House up to 10Lm
- Gas Mains Connection to House where applicable
- Electrical Mains, Single Phase Mains Connection to House up to 10Lm
- Scaffolding as required for double storey houses

Structure

- Concrete Waffle Pod Slab M Class
- Concrete Slab Strength up to 25Mpa
- 100mm Slab to Rainwater Tank
- Pre-fabricated 90mm External and 70mm Internal Frames and Trusses as per Australian standards
- 2435mm Ground Floor Structural Ceiling Height
- 2435mm First Floor Structural Ceiling Height
- Structural Steel Beams where required

BASIX


- BASIX Certification and Rating
- R2.5 Insulation Batts to External Walls Except Garage; R3.0 Insulation batts to Ceiling
- 2000L Slimline Rainwater Tank with Submersible Pump if required
- Gas Connections to Cook-top, Hot Water Heater and Gas Bayonet Point in Living Room



General Site Works

_

Safety & Electrical



Safety

- Smoke Alarms, Direct Wired with Battery Back Up
- Safety Switch to Electrical Meter Box
- Deadbolt to Timber External Doors
- Keyed Dead Lock to Sliding Glass Doors

Lighting

- 1 Oyster Light with LED Globe Per Room as per plan
- 1200mm Single Fluorescent Light to Garage
- Bunker Light to Porch, Alfresco (if included) and Balcony (if included)
- 3 in 1 Heater, Light Fan to the Bathroom, Ensuite and Powder Rooms
- Limited 2 Way Switching in up to 2 Locations

Electrical

- Two Pre-Wired Television Points
- One Pre-Wired Telephone Point
- One Data Point
- One Double Power Point Per Room
- Power Points for Appliances (Kitchen Cook-Top, Dishwasher, Refrigerator, Microwave, Range Hood and Garage Door)
- Power Points for Hot Water Unit and Rainwater Tank as per plan



Build with confidence

Our standard contracts are in line with HIA, the trusted name in building and all of our homes come with a 13 week defects liability period, 2 year major defect warranty and a 6 year structural guarantee.

Along with this you'll have a dedicated sales consultant, design coordinator and site supervisor who will take you through the steps of building your new Meridian Home. Feel at ease knowing you're not just a number to us but part of our family.

Got a question? We're always happy to help, contact us on 1300 855 138 or email us ask@meridianhomes.net.au

House images are used for marketing purposes only and are not indicative of inclusions. Standard range of products, colours and finishes may change at the discretion of Meridian Homes at any time. Building License: 240445c V.04.19



Kitchen	Bathroom
Appliances • Westinghouse 600mm Gas Cook-top • Westinghouse Oven 600mm with Shut Off Switch • Westinghouse 600mm Slide Out Range Hood	 Bathroom, Ensuite & Powder Room Vanity White Polyurethane Gloss Vanity - up to 900mm wide as per plan White Ceramic Basin - Meridian 'classic' range Chrome Modern Round Pin Mixer
Benchtop • 32mm Laminate Tight Edge Benchtop - Meridian 'classic' range	Wall Tiling • Porcelain 300x600mm 2.0m High in Shower, 600mm High Around Bath and 100mm Skirting - Meridian 'classic' range
 Cabinetry Laminated finish - Meridian 'classic' range 2150mm High Cabinets with Painted Bulkhead to Ceiling Height Kickboards - matching cupboards colours and finish 128mm D-Bar Handles to Lower Cabinets and Finger Pull to Overhead Cabinets 	 Accessories Chrome Plated Push Plugs to Basins Chrome Plated Double Towel Rails in Bathroom and Ensuite Chrome Plated Hand Towel Holder in Powder Room Toilet Roll Holder in Chrome Finish Stainless Steel Finish Floor Waste Privacy Lock to Door Double Power Point Chrome Plug and Waste
 Pantry Timber hinge or Laminated Door as shown on plans 3 Rows of Solid Melamine Shelving for Walk in Pantry (when shown on plans) or 5 Rows Melamine Shelving when Built into Kitchen Joinery 	Floor Tile • Porcelain 300x300mm Floor (non slip) Tiles - Meridian 'classic' range
 Sink & Tapware Drop-In Double Bowl Stainless Steel - Meridian 'classic' range Chrome, Gooseneck Flick Mixer - Meridian 'classic' range 	 Shower & Bath Shower Screen Fully Framed Polished Aluminium with Toughened Glass Up to 1650mm Drop in Acrylic White Bath Set in Tiled Hob as per plan
Splashback • 300 x 600mm Polished Porcelain Tile - Meridian 'classic' range	Toilet • Full Porcelain Close Coupled Suite with Soft Close Seat
 General Dishwasher Provision Only with Plumbing and Electrical Points Fridge Provision with Water, Space and Electrical Point and Storage Overhead Microwave Provision Only with Electrical Point 	 Tapware Chrome Modern Round Pin Wall Mixer to Shower and Bath Chrome Round Bath Spout Hi Rise Multifunctional Shower Head - Meridian 'classic' range
	Exhaust Fan • 3 in 1 (fan, heat lamp, light) Ducted Externally
	Mirror • 6mm Polished Edge Mirror to Match Vanity Size
	Waterproofing • High Quality Installed as per Australian standards

Internal Features	External Features
 Walls 10mm Plasterboard to Internal Walls 6mm Villaboard to Wet Areas 90mm Cove Cornices Throughout Premium Quality Paint to Ceiling, Walls, All External Painted Areas and Doors - Meridian 'classic' range 	Main External Material • PGH Face Brick - Meridian 'classic' range External Cladding • Lightweight Cladding with Painted Finish as per
Skirting & Architraves 66mm x 18mm Pine Half Splay with Paint Finish - Meridian 'classic' range	concept plan where applicable Roof
Ceiling Heights	 Boral Concrete Roof Tiles - Meridian 'classic' range Sarking Under Tiles Windows Key Lockable, Single Glaze Aluminium Windows - Meridian 'classic' range Wet Areas and Stairwell in Obscure Glazing Key Lockable Sliding Doors with Deadlock and Toughened Glass
• 2435mm Structural Ceiling Height to Ground and First Floor	
 Wardrobes Mirrored Sliding Doors with Polished Aluminium Edge Melamine Top Shelving with Hanging Rail 	
 Staircase (Where applicable) MDF Stairs with Carpet - builders 'classic' range Pine Handrail with Paint Finish, Black square Metal Inserts 	Flyscreens • Flyscreens and Flydoors with Aluminium Powder Coated Frame and Fibreglass Mesh
Doors • Hume Hollow Core Doors with Semi Gloss Paint Finish • Round Level Door Handles in Satin Chrome - Meridian 'classic' range	 Garage Door Colorbond Sectional Panel lift Door - Meridian 'classic' range Automatic garage door opener with 2 x Remote Controls
Ground Floor - Common Area Flooring • Carpet to Dining, Living and Hallway - Meridian 'classic' range	 Entry Door 820 mm Entrance Door with Featured Frosted Glass Panels in Full Gloss Paint Finish Security Lever and Deadlock in Satin Chrome
 First Floor - Common Area Flooring Carpet to Bedroom, Rumpus, Study and Hallway - Meridian 'classic' range 	Front Porch • External Non Slip Tiles 300mm x 600mm - builders 'classic' range
 Bedroom Flooring Carpet to Bedroom, Guest Rooms and Study - Meridian 'classic' range 	Front Facade • Face brick from PGH Selected Range or Textured & Paint Finish as shown on plans
Kitchen Flooring • 600x600mm Polished Porcelain Tile as per plan - Meridian 'classic' range	Fascia and Gutter • Metal Fascia and Quad Gutter - Meridian 'classic' range
Laundry	
Tub 45L Freestanding Tub and Cabinet 	 Driveway & Front Pathway Oxide Coloured Concrete Driveway up to 35m2 (single garage) or 50m2 (double garage)
TapwareStandard Chrome Sink Mixer	 Termite Control Termite Protection System to Perimeter of House and Termite Collar to All Slab Pipe Penetrations and Brick Piers as per Australian Standards
Floor Tile Porcelain 300x300mm Floor (non slip) Tiles - Meridian 'classic' range 100mm Shirting Tile to Derive ter 	
 100mm Skirting Tile to Perimeter Washing Machine Provision Hot and Cold Washing Machine Connection and Power Point 	Downpipes Painted to suit Gutter, 90mm Round PVC Downpipes Garden Taps
Splashback • 300 x 600mm Polished Porcelain Tiles Behind Tub - Meridian 'classic' range	 Fresh Water Tap Rain Water (or Recycled Water) Tap Hot Water Unit Bosch 20L Instant Gas Hot Water System
Accessories • Stainless Steel Finish Floor Waste • Double Power Point	 Alfresco (if shown on plans) Concrete Substrate Floor with Broom Finish Roof Over with Plasterboard Lined Ceiling and Brick
Waterproofing High Quality Installed as per Australian standards 	Columns as per plan

High Quality Installed as per Australian standard Waterproofing

External Features Continued

Balcony (if shown on plans)

- External (non-slip) Tiles 300 x 600mm Meridian 'classic' range
- Balustrade Aluminium Frame in Powder Coat Finish as per plan
- Waterproofing, installed as per Australian standards
- Roof Over with Brick Columns as per plan

General Site Works

General Site Works

- Council Bonds
- Home Owners Warranty Insurance
- Complying Development Approval Costs
- Contour Survey and Slab Pegout
- Sediment Control Barrier Installed to Site
- Trade Waste Removal and Disposal as required by council
- Temporary Fence, Supplied and Installed to Perimeter of Site as necessary
- Temporary Site Toilet, Supplied to Site for Period of Construction
- Earthworks, Cut and Fill Site to Bench Slab up to 500mm
- Telstra Communications Mains Connection to House up to 12Lm where applicable
- Sewer Mains Connection to House up to 10Lm
- Stormwater Mains Connection to House up to 10Lm
- Water Mains Connection to House up to 10Lm
- Gas Mains Connection to House where applicable
- Electrical Mains, Single Phase Mains Connection to House up to 10Lm
- Scaffolding as required for double storey houses

Structure

- Concrete Waffle Pod Slab up to M Class
- Concrete Slab Strength up to 25Mpa
- 100mm Slab to Rainwater Tank
- Pre-fabricated 90mm External and 70mm Internal Frames and Trusses as per Australian standards
- 2435mm Ground Floor Ceiling Height
- 2435mm First Floor Ceiling Height
- Structural Steel Beams where required

BASIX

- BASIX Certification and Rating
- R3.0 Insulation Batts to External Walls Except Garage; R3.5 Insulation batts to Ceiling
- 2000L Slimline Rainwater Tank with Submersible Pump if required
- Three Gas Connections to Cook-top, Hot Water Heater and Gas Bayonet Point in Living Room

Safety and Electrical

Safety

- Two Smoke Alarms, Direct Wired with Battery Back Up
- Safety Switch to Electrical Meter Box
- Deadbolt to Timber External Doors
- Keyed Dead Lock to Sliding Glass Doors

Lighting

- 1 Oyster Light with LED Globe Per Room as per plan
- 1200mm Single Fluorescent Light to Garage
- Bunker Light to Porch, Alfresco (if included) and Balcony (if included)
- 3 in 1 Heater, Light Fan to the Bathroom, Ensuite and Powder Rooms
- Limited 2 Way Switching

Electrical

- Two Pre-Wired Television Points
- One Pre-Wired Telephone Point
- One Data Point
- One Double Power Point Per Room
- Power Points for Appliances (Kitchen Cook-Top, Dishwasher, Refrigerator, Microwave, Range Hood and Garage Door)
- Power Points for Hot Water Unit and Rainwater Tank as per plan


Price Lock

- Price Lock
 - 6 Month Price Lock

Want More Inclusions?

Check out our Splendour and Grandeur range of inclusions today or contact us to organise a Meridian Colour Studio Tour to see our range in person.







House images are used for marketing purposes only and are not indicative of inclusions. Standard range of products, colours and finishes may change at the discretion of Meridian Homes at any time. Building License: 240445c V. 04.19 For full details refer to sales consultants.